

AMENDMENTS TO THE CLAIMS

The following listing of claims will replace all prior versions and listings of claims in the above identified patent application.

Listing of Claims

Claims 1-4 (Canceled)

5. (Previously Presented) The toy travel clock recited in Claim 32, further comprising a storage module that stores at least one known destination having an associated known total distance and wherein the input device is configured to accept a respective known destination.

6. (Original) The toy travel clock recited in Claim 5, wherein the known destination is associated with a stored known estimated time of travel between the known starting location and the known destination.

7. (Previously Presented) The toy travel clock recited in Claim 32, further comprising a clock display indicating a current time.

8. (Previously Presented) The toy travel clock recited in Claim 32, wherein the toy travel clock is a stand-alone device.

9. (Previously Presented) The toy travel clock recited in Claim 32, wherein the toy travel clock is coupled to a gaming device display.

10. (Previously Presented) The toy travel clock recited in Claim 32, wherein the toy travel clock is coupled to a navigation system display.

11. (Previously Presented) The toy travel clock recited in Claim 32, wherein the toy travel clock is coupled to a video tape player display.

12. (Previously Presented) The toy travel clock recited in Claim 32, further comprising an audio output device.

13. (Original) The toy travel clock recited in Claim 12, wherein the audio output device outputs programmed stories at designated times based on the estimated time of travel between the starting location and the destination.

Claims 14-31 (Canceled)

32. (Previously Presented) A toy travel clock comprising:

an input device configured to accept a mode of transportation and an estimated time of travel between a starting location and a destination; and

an output device configured to graphically display, the starting location, the destination, a hypothetical route connecting the starting location to the destination, and a graphical representation of the mode of transportation as an indication of an estimated distance traveled along the hypothetical route.

Claim 33 (Canceled)

34. (Currently Amended) A toy travel clock comprising:

an input device configured to accept an estimated time of travel between a starting location and a destination;

a distance travel calculator configured to compute an estimated distance traveled based on the estimated time of travel between the starting location and the destination;

an output device configured to display an indication of the estimated travel distance;

wherein the toy travel clock is a stand-alone device; and

~~The toy travel clock recited in Claim 33, further comprising~~ a storage module being operative to that store[[s]] at least one known destination having an associated known total distance and wherein the input device is configured to accept a respective known destination.

35. (Previously Presented) The toy travel clock recited in Claim 34, wherein the known destination is associated with a stored known estimated time of travel between the known starting location and the known destination.

Claims 36-37 (Canceled)

38. (Currently Amended) A toy travel clock comprising:

an input device configured to accept an estimated time of travel between a starting location and a destination;

a distance travel calculator configured to compute an estimated distance traveled based on the estimated time of travel between the starting location and the destination;

an output device configured to display an indication of the estimated travel distance;

wherein the toy travel clock is a stand-alone device; and

an audio output device being operative to ~~The toy travel clock recited in Claim 37,~~
~~wherein the audio output device~~ output[[s]] programmed stories at designated times based on
the estimated time of travel between the starting location and the destination.

Claims 39-45 (Canceled)

46. (Currently Amended) A toy travel clock comprising:

an input device configured to accept an estimated time of travel between a starting
location and a destination; and

an output device configured to display an indication of an estimated distance traveled,
the estimated distance traveled is determined by calculating a time traveled by determining a
difference between a start time and a current time, and dividing the time traveled by the
estimated time of travel between the starting location and the destination to determine a
fraction of time traveled that is equal to the estimated distance traveled;

~~The toy travel clock recited in Claim 43,~~ wherein the toy travel clock is coupled to a
navigation system display.

Claim 47 (Canceled)

48. (Currently Amended) A toy travel clock comprising:

an input device configured to accept an estimated time of travel between a starting
location and a destination;

an output device configured to display an indication of an estimated distance traveled,
the estimated distance traveled is determined by calculating a time traveled by determining a
difference between a start time and a current time, and dividing the time traveled by the
estimated time of travel between the starting location and the destination to determine a
fraction of time traveled that is equal to the estimated distance traveled; and

an audio output device being operative to ~~The toy travel clock recited in Claim 47,~~
~~wherein the audio output device~~ output[[s]] programmed stories at designated times based on
the estimated time of travel between the starting location and the destination.

49. (Previously Presented) A toy travel clock comprising:

an input device configured to accept an estimated time of travel between a starting
location and a destination;

an output device configured to display an indication of an estimated distance traveled;
and

a storage module that stores at least one known destination having an associated known total distance and wherein the input device is configured to accept a respective known destination.

50. (Previously Presented) The toy travel clock recited in Claim 49, further comprising a clock display indicating a current time.

51. (Previously Presented) The toy travel clock recited in Claim 49, wherein the toy travel clock is a stand-alone device.

52. (Previously Presented) The toy travel clock recited in Claim 49, wherein the toy travel clock is coupled to a navigation system display.

53. (Previously Presented) The toy travel clock recited in Claim 49, further comprising an audio output device.

54. (Previously Presented) The toy travel clock recited in Claim 53, wherein the audio output device outputs programmed stories at designated times based on the estimated time of travel between the starting location and the destination.

55. (Previously Presented) The toy travel clock recited in Claim 53, wherein the known destination is associated with a stored known estimated time of travel between the known starting location and the known destination.